

INDUSTRY CANADA STATEMENT

IC

This device complies with Innovation, Science and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:
(1) this device may not cause interference, and
(2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:
(1) il ne doit pas produire de brouillage et
(2) l'utilisateur du dispositif doit être prêt à accepter tout brouillage radioélectrique reçu, même si ce brouillage est susceptible de compromettre le fonctionnement du dispositif.

CAN ICES-3(B)/NMB-3(B)

The device meets the exemption from the routine evaluation limits in section 2.5 of RSS 102 and compliance with RSS-102

RF exposure, users can obtain Canadian information on RF exposure and compliance.

Le dispositif rencontre l'exemption des limites courantes d'évaluation dans la section 2.5 de RSS 102 et la conformité à l'exposition de RSS-102 rf, utilisateurs peut obtenir l'information canadienne sur l'exposition et la conformité de rf.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment should be installed and operated with a minimum distance of 5 millimeters between the radiator and your body.

Cet émetteur ne doit pas être Co-placé ou ne fonctionnant en même temps qu'aucune autre antenne ou émetteur. Cet équipement devrait être installé et actionné avec une distance minimum de 5 millimètres entre le radiateur et votre corps.

FEDERAL COMMUNICATION COMMISSION INTERFERENCE STATEMENT

FCC

Caution: If any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) This device must accept any interference received, including interference that may cause undesired operation.

The grantee is not responsible for any changes or modifications not expressly approved by the party responsible for compliance. Such modifications could void the user's authority to operate the equipment. The declaration of conformity can be found at: ce.sigmasport.com/ats2021

EU-KONFORMITÄTSERKLÄRUNG

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC ID: M5LSPD3STS

EU-DECLARATION OF CONFORMITY

UKCA

We, SIGMA-ELEKTRO GmbH, Dr.-Julius-Leber-Str. 15, D-67433 Neustadt/Weinstraße declare under our responsibility that the transmitter STS-S-3 are compliant with the essential requirements and other relevant requirements of the RED Directive

2014/53/EU and the RoHS Directive 2011/65/EU.

The RF Exposure Compliance distance is 5 millimeters.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential

installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee

that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or

television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct

the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

CE

PAP

Recycling

UKCA STATEMENT

UKCA

Battery type CR 2032 x 3 V

Operation temperature -10 °C to 60 °C

Operation frequency 112 kHz

Transmission power Max power <11.37 dBm

sigmasport.com

SIGMA-ELEKTRO GmbH

Dr.-Julius-Leber-Strasse 15

67433 Neustadt/Weinstraße

Germany

2021/05/08

SPEED TRANSMITTER

STS

TECHNICAL INFORMATION

SIGMA

Le SIGMA SPEED TRANSMITTER STS est un petit appareil portatif qui peut être attaché à votre vêtement ou à votre casque. Il transmet les données de vitesse et de cadence à votre SIGMA SPEED COMPUTER ou à votre SIGMA CYCLE COMPUTER. Il fonctionne avec une batterie CR 2032 x 3 V et a une autonomie de 100 heures.

Le SIGMA SPEED TRANSMITTER STS est compatible avec tous les SIGMA CYCLE COMPUTERS et SIGMA SPEED COMPUTERS.

Le SIGMA SPEED TRANSMITTER STS est étanche et résistant aux chocs.

Le SIGMA SPEED TRANSMITTER STS est facile à installer et à utiliser.

Le SIGMA SPEED TRANSMITTER STS est fabriqué en Allemagne par SIGMA-ELEKTRO GmbH.

Le SIGMA SPEED TRANSMITTER STS est disponible dans une variété de couleurs.

Le SIGMA SPEED TRANSMITTER STS est recommandé pour les cyclistes et les coureurs qui recherchent une précision et une fiabilité élevées.

Le SIGMA SPEED TRANSMITTER STS est vendu avec une batterie CR 2032 x 3 V.

Le SIGMA SPEED TRANSMITTER STS est vendu avec une batterie CR 2032 x 3 V.

Le SIGMA SPEED TRANSMITTER STS est vendu avec une batterie CR 2032 x 3 V.

Le SIGMA SPEED TRANSMITTER STS est vendu avec une batterie CR 2032 x 3 V.

Le SIGMA SPEED TRANSMITTER STS est vendu avec une batterie CR 2032 x 3 V.

